



8400 Front Linkage Rollermower

The MAJOR Front Mounted 8400 Rollermower is based on the renowned and reliable 8400 Groundsmajor Rollermower. This machine features an innovative four point pivot system that ensures constant contact with the undulating ground. The CAD designed linkage system allows the machine unrestricted floatation and excellent road height clearance when the machine is locked into transport position.

Swinging blades protect the gearboxes from impact damage with rubber buffers eliminating residual shock loading.

The blade system is enclosed within an aerofoil chamber and cut material is recycled and distributed evenly in the wake of the machine. The finish is a professional stripe which is favoured by grounds maintenance keepers.

A simple spanner adjustment sets and locks the cutting height of the machine by raising or lowering the rollers. The cutting range available is from 12mm to 150mm.

Heavy duty rollers are fitted with internal bearings and seals to prevent water and dust contamination ensuring life long protection. The MAJOR Groundsmajor Rollermower range are all gear driven machines which results in low maintenance & down time costs when compared to belt driven machines.

The slip clutch and overrun protection on the input PTO shaft coupled with the rubber buffer protection between each of the rotor gearboxes minimize damage to vital components in the event of an impact.

This machine is suitable for use in a wide range of applications including cricket outfields, sports pitches, polo grounds and golf course rough maintenance.

Standard Features:

- Mulching chambers to ensure even distribution of material
- Adjustable working depth from 12mm to 150mm
- CAD designed linkage system
- Inter gearbox shock loading protection
- Slip clutch and overrun on PTO shaft
- Machined roller bearing housings
- Choice of twin cut or swinging blades
- Heavy duty rollers
- Durable two pack paint finish

Model	Working Width	Power (HP)	Weight	PTO RPM	Blade Tip Speed m/min	No. of Rotors	No. of Blades	Cutting Height
FL 8400	2.4m	60-90	550 kg	1000	4373	2	8	12-150mm